GOVERNMENT OF ANDHRA PRADESH A B S T R A C T

Public Services - I & CAD Department - Irregularities in execution of Handri Neeva Sujala Sravanthi (HNSS) canal including CM & CD works in package 23 in Kurnool district - Disciplinary action initiated under Rule 20 of APCS (CCA) Rules, 1991 against Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) and others – Imposing a penalty of 5% cut in pension permanently against Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) under Rule 9 of A.P. Revised Pension Rules, 1980 – Orders Issued.

IRRIGATION & CAD(SER.X.1.) DEPARTMENT

G.O..Ms.No.1.

Dated:03.01.2013. Read the following:

- 1. From the G.A. (V & E) Dept., Report No.110/737/V&E/ E1/ 2006, dt. 29.09.2006.
- 2. G.O.Ms.No.10, I & CAD (Ser.x.1)Dept., dt. 01.02.2008.
- 3. G.O.Rt.No.136, I & CAD (Ser.X.1) Dept., dt. 01.02.2008.
- 4. From Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) Written Statement of Self Defense dt. 27.02.2008.
- 5. G.O.Rt.No.892, I & CAD (Ser.X.1) Dept., dt. 16.7.2008.
- 6. Govt.Memo.No.19363/Ser.X.1/2008-10, dt. 16.07.2008.
- 7. From the GA(COI-CK) Dept., D.O.Ir.No. 1255/COI- CK/ A1/2008, dt. 21.01.2010.
- 8. Govt.Memo.No.19363/Ser.X.1/2006-16, dt.4.10.2010
- 9. Representation of Sri N. Kambagiri Naidu, Superintending Engineer (Retd.), dt. 22.11.2010
- 10. Govt. Memo. No. 19363/Ser.X.1/2006-24, Dt: 22.02.2012
- 11..From Sri N. Kambagiri Naidu, S.E. (Retd.) representation dt. 03.05.2012 & 01.09.2012
- 12. Govt. Lr. No. 19363/Ser.X.1/2006-27, Dt: 20.10.2012
- 13. From the Secretary, APPSC, Hyderabad Lr.No. 2023/ RT/1/ 2012, dt. 22.11.2012.

&&&

ORDER:

It was brought to the notice of the Government that certain irregularities took place in execution of works in package No. 23 of Handri-Neeva Sujala Sravanthi Project. The General Administration (Vigilance & Enforcement) Department have conducted enquiry into the irregularities and submitted their report vide reference 1st read above. Government have examined the report and initiated disciplinary action against the officers responsible for the irregularities. Sri N. Kambagiri Naidu Superintending Engineer (Retd.) is one among the responsible officers for the irregularities.

- 2. In the reference 2nd & 3rd read above, Articles of Charges were issued against Sri N. Kambagiri Naidu, Superintending Engineer (Retd.). The Charged Officer has submitted his Written Statement of Self Defence vide reference 4th read above. The WSSD of the Charged Officer along with other charged officers have been examined and the disciplinary case was entrusted to the Commissioner of Inquiries by appointing Smt. Chandana Khan, IAS, as Inquiry authority to conduct detailed Inquiry on the charges framed against Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) and others vide reference 5th read above. The Inquiry officer has submitted the Inquiry Report vide reference 7th read above.
- 3. Government after careful examination of the Inquiry Report, have disagreed with the findings of the Inquiry Officer. The Inquiry Report along with the reasons for disagreement with the findings of the Inquiry Officer was communicated to the Charged Officer Sri N.Kambagiri Naidu, Superintending Engineer (Retd.) vide reference 8th read above.

- 4. The Charged Officer, Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) has submitted his representation vide reference 9th read above. Government have examined the representation of the C.O. and provisionally decided to impose a penalty of 5% cut in pension permanently on Sri N. Kambagiri Naidu, Superintending Engineer (Retd.). A Show Cause Notice under Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 duly indicating the above proposed penalty was issued to Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) vide reference 10th read above. The Charged Officer, Sri N. Kambagiri Naidu, Superintending Engineer (Retd.) has submitted his representation vide reference 11th read above.
- 5. After careful examination of the matter, it has been decided to impose a penalty of 5% cut in pension permanently against Sri N. Kambagiri Naidu, Superintending Engineer(Retd.) for the irregularities committed by him. Accordingly, Government hereby order to impose a penalty of 5% cut in pension permanently against Sri N. Kambagiri Naidu, Superintending Engineer (Retd.). A copy of the reference 13th read above is herewith enclosed.
- 6. The Engineer-In-Chief (Administration Wing), Irrigation &CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNER OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI PRINCIPAL SECRETARY TO GOVERNMENT

Tο

Sri N. Kambagiri Naidu Superintending Engineer (Retd.)

through the Engineer-In-Chief (Admn.Wing),
Irrigation & CAD Department ,
Hyderabad.

Copy to:
The Engineer-In-Chief (Admn.Wing) ,
Irrigation & CAD Dept., Hyderabad.
The Secretary, APPSC, Hyderabad.
The Accountant General, Andhra Pradesh, Hyderabad.

SC/SF

//FORWARDED: : BY ORDER//

SECTION OFFICER